

GN205Z

206x206x72mm (8.1"x8.1"x2.8")




Capacitor Motor

Fan Frame: Die-cast Aluminum(Black or Silver coating)
 Fan Impeller: Plastic
 Operation Temp.: -30~60°C
 Operation Voltage Range: 110V(±10%); 220V(±10%)
 Dielectric Strength: 5mA Max.at 1500V for 1 min
 Safety: Impedance Protected
 Termination: Lead Wire; Pin
 Weight: 2300g
 Protection Class: IP44
 Insulation: Class A


Specifications

Model	Bearing	Blades	Voltage	Freq.	Current	Power	Speed	Noise	Max. Air Flow	Pressure	Capacitor	
No.			VAC	Hz	A	W	RPM	dB(A)	m ³ /h	CFM	mmH ₂ O	uf
GN205Z1	Ball	7	100/125	50/60	0.6/0.7	60/80	2800/3200	67/69	1071/1156	630/680	22/11.7	6uf/250v
GN205Z2	Ball	7	200/240	50/60	0.3/0.4	60/80	2800/3200	67/69	1071/1156	630/680	22/11.7	3uf/450v

Engineering Drawing (mm)



Air Performance



AC Axial Fan - GW Series
AC Axial Fan - GN Series
AC Radial Fan - GRA Series